


WORKLIGHT DALI SENSOR


floor stand, LED, 3000K, white

As a consistent further development of our WORKLIGHT Series, the DALI SENSOR is a standing office luminaire for computer monitor workplaces, and is equipped with the state-of-the-art technology and highly efficient, powerful Philips LEDs. Being equipped with a motion sensor, built-in daylight control and the possibility of wireless DALI dimming, this luminaire meets all of the requirements of modern-day office lighting. Grouping can be carried out and scenes created using the IR programming remote control. Thanks to the built-in driver and connection lead with plug, the WORKLIGHT DALI SENSOR is ready for direct connection to the 230V mains supply. This luminaire contains built-in LED lamps.



TECHNICAL DATA

Item no.:	1000450
Lamps included	0
Number of different light outlets	2
Primary nominal voltage	220-240V ~50/60Hz mA/V
Secondary power / secondary voltage	226 mA/V
Length	70.0 cm
Width	26.0 cm
Height	187.0 cm
Net weight	16.058 kg
Gross weight	18.238 kg
IP Code	IP 20
Safety class	I
Impact resistance class	IK03
Impact resistance	0,34999999999999999999999999999999999999
Assembly	Mobile
Dimmable	Ja
Dimming technology	DALI
Wattage	49.0 W
Lumen	5520 lm
Colour temperature	3000 Kelvin
Beam angle	110°
Color	white



CRI	>80
UGR ?	19.0000
Binning	4
LXXBXX data	70/50
Service life	50000 h
	•

Accessories

1000454	REMOTE CONTROL , for WORK- LIGHT DALI SENSOR
1000455	REMOTE CONTROL , for WORK- LIGHT DALI SENSOR, for program- ming

Notes			

							ч				4			ч		ч		4	4	ч	ч	4	7	ч	4	ч	4										
	- 4	- 4		a,	a,	J.	J.	J.	J	J	J	J	J	J	a,	ä	ä	ā,	J.																		
ı	J J	LL	1	J.	1	J,	J.	J.	J.	ä	J	J	J	J	a,	J	J		a.			J		4		J	J.	J	J.	ı	J.	J.	ı	ı	L	1	
					ā			ú		ä		ä	ä	ä	ä	J	J	J	J.	J	ă,	ă,	J.	J	J	J	ä	á									

